

SERVING THE FOOD INDUSTRY SINCE 1951

() terret

# 24-INCH DEPTH ALL STAINLESS STEEL WORKTABLES WITH BACKSPLASH

0 \*

## Utilize your kitchen space with Omcan's All Stainless Steel Worktables with backsplash

Made from durable 20 Gauge 430 stainless steel material, these tables are ideal for kitchen preparation that can hold heavy equipment. Very easy to clean.







Authorized Dealer

24" x 24" ALL STAINLESS STEEL WORKTABLE WITH BACKSPLASH




• 20 Gauge. 430 Stainless steel top shelf with 4" back splash

- 20 Gauge. 430 Stainless steel undershelf and hat channel;
  - stainless steel leg and socket; stainless steel bullet feet

#### **TECHNICAL SPECIFICATIONS**

ITEM	44335
LOAD CAPACITY	793.7 lbs. / 360 kg.
UNDERSHELF CAPACITY	300 lbs. / 136 kg.
OVER-ALL DIMENSIONS (DWH)	24" x 24" x 34" (38" with backsplash)
GROSS DIMENSIONS	25.4" x 36" x 6.9"
NET WEIGHT	30 lbs. / 13.6 kg.
GROSS WEIGHT	38.1 lbs. / 17.3 kg.

#### **TECHNICAL DRAWINGS WITH DETAILED DIMENSIONS**



### **OMCAN INC.**

Telephone: 1-800-465-0234 Fax: (905) 607-0234 Email: sales@omcan.com Website: www.omcan.com







24" x 30" ALL STAINLESS STEEL WORKTABLE WITH BACKSPLASH




• 20 Gauge. 430 Stainless steel top shelf with 4" back splash

- 20 Gauge. 430 Stainless steel undershelf and hat channel;
  - stainless steel leg and socket; stainless steel bullet feet

#### **TECHNICAL SPECIFICATIONS**

ITEM	44336
LOAD CAPACITY	881.8 lbs. / 400 kg.
UNDERSHELF CAPACITY	350 lbs. / 158.75 kg.
OVER-ALL DIMENSIONS (DWH)	24" x 30" x 34" (38" with backsplash)
GROSS DIMENSIONS	25.4" x 36" x 6.9"
NET WEIGHT	35 lbs. / 15.87 kg.
GROSS WEIGHT	43.7 lbs. / 19.8 kg.

#### **TECHNICAL DRAWINGS WITH DETAILED DIMENSIONS**



### **OMCAN INC.**

Telephone: 1-800-465-0234 Fax: (905) 607-0234 Email: sales@omcan.com <u>Website: www.omcan.com</u>







24" x 30" ALL STAINLESS STEEL WORKTABLE WITH BACKSPLASH



• 20 Gauge. 430 Stainless steel top shelf with 4" back splash


**MEAN** 

- 20 Gauge. 430 Stainless steel undershelf and hat channel;
  - stainless steel leg and socket; stainless steel bullet feet

#### **TECHNICAL SPECIFICATIONS**

ITEM	44337
LOAD CAPACITY	948 lbs. / 430 kg.
UNDERSHELF CAPACITY	400 lbs. / 181.4 kg.
OVER-ALL DIMENSIONS (DWH)	24" x 36" x 34" (38" with backsplash)
GROSS DIMENSIONS	25.4" x 37" x 6.9"
NET WEIGHT	40 lbs. / 18.14 kg.
GROSS WEIGHT	48.9 lbs. / 22.2 kg.

#### **TECHNICAL DRAWINGS WITH DETAILED DIMENSIONS**



### **OMCAN INC.**

Telephone: 1-800-465-0234 Fax: (905) 607-0234 Email: sales@omcan.com Website: www.omcan.com







24" x 48" ALL STAINLESS STEEL WORKTABLE WITH BACKSPLASH




• 20 Gauge. 430 Stainless steel top shelf with 4" back splash

- 20 Gauge. 430 Stainless steel undershelf and hat channel;
  - stainless steel leg and socket; stainless steel bullet feet

#### **TECHNICAL SPECIFICATIONS**

ITEM	44338
LOAD CAPACITY	1025.1 lbs. / 465 kg.
UNDERSHELF CAPACITY	450 lbs. / 204.1 kg.
OVER-ALL DIMENSIONS (DWH)	24" x 48" x 34" (38" with backsplash)
GROSS DIMENSIONS	25.4" x 49.4" x 6.9"
NET WEIGHT	50 lbs. / 22.67 kg.
GROSS WEIGHT	59.3 lbs. / 26.9 kg.

#### **TECHNICAL DRAWINGS WITH DETAILED DIMENSIONS**



### **OMCAN INC.**

Telephone: 1-800-465-0234 Fax: (905) 607-0234 Email: sales@omcan.com Website: www.omcan.com







24" x 60" ALL STAINLESS STEEL WORKTABLE WITH BACKSPLASH



20 Gauge. 430 Stainless steel top shelf with 4" back splash

- 20 Gauge. 430 Stainless steel undershelf and hat channel;
  - stainless steel leg and socket; stainless steel bullet feet

#### **TECHNICAL SPECIFICATIONS**

ITEM	44339
LOAD CAPACITY	1058.2 lbs. / 480 kg.
UNDERSHELF CAPACITY	480 lbs. / 217.7 kg.
OVER-ALL DIMENSIONS (DWH)	24" x 60" x 34" (38" with backsplash)
GROSS DIMENSIONS	25.4" x 61.4"
NET WEIGHT	59 lbs. / 26.76 kg.
GROSS WEIGHT	69.7 lbs. / 31.6 kg.

#### **TECHNICAL DRAWINGS WITH DETAILED DIMENSIONS**



### **OMCAN INC.**

Telephone: 1-800-465-0234 Fax: (905) 607-0234 Email: sales@omcan.com Website: www.omcan.com







24" x 72" ALL STAINLESS STEEL WORKTABLE WITH BACKSPLASH



• 20 Gauge. 430 Stainless steel top shelf with 4" back splash

- 20 Gauge. 430 Stainless steel undershelf and hat channel;
  - stainless steel leg and socket; stainless steel bullet feet

#### **TECHNICAL SPECIFICATIONS**

ITEM	44340
LOAD CAPACITY	1102.3 lbs. / 500 kg.
UNDERSHELF CAPACITY	500 lbs. / 226.8 kg.
OVER-ALL DIMENSIONS (DWH)	24" x 72" x 34" (38" with backsplash)
GROSS DIMENSIONS	25.4" x 73.4" x 6.9"
NET WEIGHT	69 lbs. / 31.29 kg.
GROSS WEIGHT	80 lbs. / 36.3 kg.

#### **TECHNICAL DRAWINGS WITH DETAILED DIMENSIONS**



### **OMCAN INC.**

Telephone: 1-800-465-0234 Fax: (905) 607-0234 Email: sales@omcan.com Website: www.omcan.com







24" x 84" ALL STAINLESS STEEL WORKTABLE WITH BACKSPLASH



• 20 Gauge. 430 Stainless steel top shelf with 4" back splash

- 20 Gauge. 430 Stainless steel undershelf and hat channel;
  - stainless steel leg and socket; stainless steel bullet feet

#### **TECHNICAL SPECIFICATIONS**

ITEM	44341
LOAD CAPACITY	1366.9 lbs. / 620 kg.
UNDERSHELF CAPACITY	600 lbs. / 272.15 kg.
OVER-ALL DIMENSIONS (DWH)	24" x 84" x 34" (38" with backsplash)
GROSS DIMENSIONS	25.4" x 85.4" x 6.9"
NET WEIGHT	83 lbs. / 37.6 kg.
GROSS WEIGHT	95.7 lbs. / 43.4 kg.

#### **TECHNICAL DRAWINGS WITH DETAILED DIMENSIONS**



### **OMCAN INC.**

Telephone: 1-800-465-0234 Fax: (905) 607-0234 Email: sales@omcan.com Website: www.omcan.com







24" x 96" ALL STAINLESS STEEL WORKTABLE WITH BACKSPLASH




• 20 Gauge. 430 Stainless steel top shelf with 4" back splash

- 20 Gauge. 430 Stainless steel undershelf and hat channel;
  - stainless steel leg and socket; stainless steel bullet feet

#### **TECHNICAL SPECIFICATIONS**

ITEM	44342
LOAD CAPACITY	1466.1 lbs. / 665 kg.
UNDERSHELF CAPACITY	650 lbs. / 294.8 kg.
OVER-ALL DIMENSIONS (DWH)	24" x 96" x 34" (38" with backsplash)
GROSS DIMENSIONS	25.4" x 97.4" x 6.9"
NET WEIGHT	93 lbs. / 42.18 kg.
GROSS WEIGHT	106 lbs. / 48.1 kg.

#### **TECHNICAL DRAWINGS WITH DETAILED DIMENSIONS**



### **OMCAN INC.**

Telephone: 1-800-465-0234 Fax: (905) 607-0234 Email: sales@omcan.com Website: www.omcan.com





