



COOKING EQUIPMENT

SERVING THE FOOD INDUSTRY SINCE 1951

OUTDOOR PORTABLE FRYER PROPANE

Item: 47354

Model: CE-CN-OF LP

Item: 47355

Model: CE-CN-DOF LP



Item: 47354
Model: CE-CN-OF LP



Item: 47355
Model: CE-CN-DOF LP

Bring all the functionality of your indoor kitchen outdoors with a compact and sturdy mobile fryer

The fryer is designed to cook high volumes of product in a short period of time. With 14" wheels, it is easy to move, making it ideal for caterers, party rentals and special events.



WARRANTY
PARTS AND LABOR



Authorized Dealer



COOKING EQUIPMENT

OUTDOOR PORTABLE FRYER - SINGLE TANK PROPANE



TECHNICAL DRAWINGS & DIMENSIONS

*measurements in diagrams are in mm



TECHNICAL SPECIFICATIONS

OUTDOOR PORTABLE FRYER SINGLE TANK PROPANE

Item Number	47354
Model	CE-CN-OF LP
BTU	93,000
Material	Stainless steel cabinet and fry tanks
Fry Basket	2
Wheel	Two 14" wheels Two lock casters
Temperature Range	93°C - 204°C 200°F - 400°F
Oil Capacity (Per Tank)	35 - 40 lbs 15.9 - 18.1 kg
Cabinet Length	29.75" / 756 mm
Dimensions (WDH)	38" x 30.5" x 48.75" 965 x 775 x 1238 mm
Weight	190 lbs / 86.2 kg
Shipping Weight	240 lbs / 108.9 kg



OMCAN INC.

Telephone: 1-800-465-0234

Fax: (905) 607-0234

Email: sales@omcan.com

Website: www.omcan.com



Follow us to keep up to date with the latest news and offers



2017E&OE


COOKING EQUIPMENT

OUTDOOR PORTABLE FRYER - DOUBLE TANK PROPANE



TECHNICAL DRAWINGS & DIMENSIONS

*measurements in diagrams are in mm



TECHNICAL SPECIFICATIONS

OUTDOOR PORTABLE FRYER DOUBLE TANK PROPANE

Item Number	47355
Model	CE-CN-DOF LP
BTU	93,000/tank
Material	Stainless steel cabinet and fry tanks
Fry Basket	4
Wheel	Two 14" wheels Two lock casters
Temperature Range	93°C - 204°C 200°F - 400°F
Oil Capacity (Per Tank)	35 - 40 lbs 15.9 - 18.1 kg
Cabinet Length	44.75" / 1137 mm
Dimensions (WDH)	53" x 30.5" x 48.75" 1346 x 775 x 1238 mm
Weight	301 lbs / 136.5 kg
Shipping Weight	375 lbs / 170.1 kg



Stainless Steel

Lock Caster



OMCAN INC.

Telephone: 1-800-465-0234

Fax: (905) 607-0234

Email: sales@omcan.com

Website: www.omcan.com



Follow us to keep up to date with the latest news and offers



2017E&OE